



**C2431 Snell Cut Resistant Foam Nitrile Safety Glove- Red/Black**



**Technical Data**

|                     |  |
|---------------------|--|
| Material            | Hppe/steel/polyester/glass fiber/spandex |
| Cuff                | Seamless knitting                        |
| Coating             | Microfoam nitrile                        |
| Coating Coverage    | Palm & fingers                           |
| Gauge               | 15                                       |
| Logo printing       | Ink or heat transfer                     |
| Sizes               | 7-11                                     |
| MOQ                 | 6000 pairs                               |
| Production Leadtime | 45-55 days                               |

**Product Features**

- ◆ Ideal for handling and assembly of small to medium parts and materials
- ◆ Foam Nitrile coatings are breathable and durable
- ◆ Reinforced thumb crotch for extended glove life
- ◆ Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves
- ◆ Knit wrist helps prevent dirt and debris from entering the glove

**Performance**

EN388:2016: 4X42C  
ANSI A3

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

**Applications**

- ◆ Automotive
- ◆ Transport
- ◆ Warehousing
- ◆ Logistics
- ◆ Utilities
- ◆ Construction
- ◆ Engineering
- ◆ General Maintenance
- ◆ Waste Management