

Qingdao Snell Safety Dedicated to Security

SPECIFICATION SHEET

C2433 Snell Oil Resistant Double Nitrile Coated Cut Glove



Product Features

- Knit wrist helps prevent dirt and debris from entering the glove
- 18 gauge nylon with lightweight and good dexterity
- Double layer coating can prevent the liquid and oil, grease
- Palm & thumb with black sandy foam nitrile to increase the grip and abrasion resistance
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves

Technical Data	
Material	Nylon/glass fiber
Cuff	Seamless knitting
Coating	Micro foam nitrile
Coating Coverage	Palm & fingers
Gauge	18
Logo printing	Ink or heat transfer
Sizes	7-11
MOQ	10000 pairs
Production Leadtime	45-50 days

Performance	EN388:2016: 4X42B ANSI A2						
Abrasion	0	1	2	3	4		
Cut	X	1	2	3	4	5	
Tear	0	1	2	3	4		
Puncture	0	1	2	3	4		
Cut (TDM-100)	Α	В	С	D	Е	F	

Applications

- Automotive
- Transport
- Warehousing
- Logistics
- Utilities
- Construction
- Engineering
- General Maintenance
- Waste Management