

SPECIFICATION SHEET

12412 Snell A4 Cut Level Nitrile Grip TPR Impact Resistant Protective Glove



Product Features

- High performance polyethylene (HPPE) fiber shell is rugged & durabLe, provides excellent cut resistance.
- MicroSurface nitrile-coated padded palm for enhanced wet & dry grip.
- Thermoplastic rubber (TPR) molded the back of hand and fingers to make sure maximum safety protection.
- Palm with sandy finishing prevents the oil & grease.
- Leather reinforced thumb enhances the lifetime.
- 18 gauge seamless knitting helps prevent dirt and debris from entering the glove.

Technical Data	
Material	HPPE
Cuff	Seamless knitting
Coating	Nitrile foam sandy
Coating Coverage	Palm & fingers
Gauge	18
Impact Coverage	Fingers & back of hand
Sizes	8-11
MOQ	6000 pairs
Production Leadtime	50-60 days

Performance EN388:2016: 4X43 ANSI	
Abrasion 0 1 2 3 4	
Cut X 1 2 3 4 5	
Tear 0 1 2 3 4	
Puncture 0 1 2 3 4	
Cut (TDM-100) A B C D E F	

Applications

- Manufacturing
- Metal fabrication
- Mining & gas, oilfield
- Auto repair & assembly
- Machinery and equipment
- Construction
- Furniture manufacturing
- Warehousing
- Forestry