



N2418 Snell Nitrile Foam Sandy Grip Engineering Glove



Technical Data

Material	Spandex & Nylon
Cuff	Seamless knitting
Coating	Nitrile foam sandy
Coating Coverage	Palm and fingers
Gauge	15
Logo printing	Ink or heat transfer
Sizes	6-12
MOQ	12000 pairs
Production Leadtime	45 days

Performance

EN388:2016: 4131X

Abrasion	0	1	2	3	4	
Cut	X	1	2	3	4	5
Tear	0	1	2	3	4	
Puncture	0	1	2	3	4	
Cut (TDM-100)	A	B	C	D	E	F

Product Features

- ◆ Spandex liner offers elasticity & dexterity
- ◆ Sandy nitrile coating provides enhanced grip, perfect for handling oily or slippery parts
- ◆ Seamless liner ensures high level of comfort
- ◆ Thin design is comfortable and dexterous for all-day use
- ◆ Sandy-nitrile coated for grip of wet and dry items

Applications

- ◆ Aerospace
- ◆ Rail Maintenance
- ◆ Engineering
- ◆ Automotive
- ◆ Mechanics
- ◆ Construction
- ◆ Building
- ◆ Logistics
- ◆ Packing
- ◆ Electricians
- ◆ Assembly
- ◆ General Use