



## SPECIFICATION SHEET

### DG2501 Snell Driving Outdoor Sports Screenshot Glove



#### Product Features

- ◆ Special design for driving
- ◆ Screenshot
- ◆ Fingertip touch screen
- ◆ Palm silicon dots anti slip
- ◆ Thermal fabric
- ◆ Seamless knitting
- ◆ Lightweight

#### Technical Data

|                     |                      |
|---------------------|----------------------|
| Material            | Polycotton fabric    |
| Cuff                | Knitted              |
| Coating             | None                 |
| Coating Coverage    | None                 |
| Gauge               | 13                   |
| Logo printing       | Ink or heat transfer |
| Sizes               | 8/M-10/XL            |
| MOQ                 | 1000 pairs           |
| Production Leadtime | 30 days              |

#### Performance

EN388:2016:

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

#### Applications

- ◆ Riding
- ◆ Climbing
- ◆ Running
- ◆ Skiing
- ◆ Daily wearing
- ◆ Phone using



## DG2502 Snell Driving Outdoor Sports Screenshot Glove



### Product Features

- ◆ Special design for driving
- ◆ Screenshot
- ◆ Fingertip touch screen
- ◆ Palm silicon dots anti slip
- ◆ Thermal fabric
- ◆ Seamless knitting
- ◆ Lightweight

### Technical Data

|                     |                      |
|---------------------|----------------------|
| Material            | Polycotton fabric    |
| Cuff                | Knitted              |
| Coating             | None                 |
| Coating Coverage    | None                 |
| Gauge               | 13                   |
| Logo printing       | Ink or heat transfer |
| Sizes               | 8/M-10/XL            |
| MOQ                 | 1000 pairs           |
| Production Leadtime | 30 days              |

### Performance

EN388:2016:

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

### Applications

- ◆ Riding
- ◆ Climbing
- ◆ Running
- ◆ Skiing
- ◆ Daily wearing
- ◆ Phone using



## LEG2501 Sheepskin Driver Anti-slip Glove



### Product Features

- ◆ Heat insulation
- ◆ Goatskin leather
- ◆ Soft & Comfortable
- ◆ Anti-slip
- ◆ Abrasion resistance
- ◆ Super durable
- ◆ Wear resistance

### Technical Data

|                     |                      |
|---------------------|----------------------|
| Material            | Sheepskin            |
| Cuff                | Loose                |
| Coating             | None                 |
| Coating Coverage    | None                 |
| Gauge               | None                 |
| Logo printing       | Ink or heat transfer |
| Sizes               | Customized           |
| MOQ                 | 2000 pairs           |
| Production Leadtime | 45 days              |

### Performance

EN388:2016: 3131X

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

### Applications

- ◆ Industrial
- ◆ Construction
- ◆ Material handling
- ◆ Tool handling
- ◆ Mechanical works
- ◆ Oil and Gas
- ◆ Utilities
- ◆ Warehousing & logistics



## LEG2503 Sheepskin Driver Anti-slip Glove



### Product Features

- ◆ Heat insulation
- ◆ Goatskin leather
- ◆ Soft & Comfortable
- ◆ Anti-slip
- ◆ Abrasion resistance
- ◆ Super durable
- ◆ Wear resistance

### Technical Data

|                     |                      |
|---------------------|----------------------|
| Material            | Sheepskin            |
| Cuff                | Loose                |
| Coating             | None                 |
| Coating Coverage    | None                 |
| Gauge               | None                 |
| Logo printing       | Ink or heat transfer |
| Sizes               | Customized           |
| MOQ                 | 2000 pairs           |
| Production Leadtime | 45 days              |

### Performance

EN388:2016: 3131X

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

### Applications

- ◆ Industrial
- ◆ Construction
- ◆ Material handling
- ◆ Tool handling
- ◆ Mechanical works
- ◆ Oil and Gas
- ◆ Utilities
- ◆ Warehousing & logistics



## SPECIFICATION SHEET

### LEG2504 Cow Split Leather Double Palm Strip Cotton Rubberized Cuff Work Glove



#### Product Features

- ◆ Cow split leather palm
- ◆ With reinforcement on palm
- ◆ Drill cotton back
- ◆ Anti-slip
- ◆ Abrasion resistance
- ◆ Super durable
- ◆ Wear resistance
- ◆ Rubberized cuff

#### Technical Data

|                     |                          |
|---------------------|--------------------------|
| Material            | Cow Leather/Strip Cotton |
| Cuff                | Loose                    |
| Coating             | None                     |
| Coating Coverage    | None                     |
| Gauge               | None                     |
| Logo printing       | Ink or heat transfer     |
| Sizes               | Customized               |
| MOQ                 | 2000 pairs               |
| Production Leadtime | 45 days                  |

#### Performance

EN388:2016: 3131X

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

#### Applications

- ◆ Assembly
- ◆ Construction
- ◆ Material handling
- ◆ Tool handling
- ◆ Mechanical works
- ◆ Pip fitting
- ◆ Utilities
- ◆ Warehousing & logistics





## SPECIFICATION SHEET

### LEG2505 Cow Split Leather Back Blue Cotton Glove



#### Product Features

- ◆ Cow split leather palm
- ◆ Blue cotton back
- ◆ Anti-slip
- ◆ Abrasion resistance
- ◆ Super durable
- ◆ Wear resistance
- ◆ Safety cuff

#### Technical Data

|                     |                           |
|---------------------|---------------------------|
| Material            | Cow Leather/Cotton Fabric |
| Cuff                | Loose                     |
| Coating             | None                      |
| Coating Coverage    | None                      |
| Gauge               | None                      |
| Logo printing       | Ink or heat transfer      |
| Sizes               | Customized                |
| MOQ                 | 2000 pairs                |
| Production Leadtime | 45 days                   |

#### Performance

EN388:2016: 3131X

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

#### Applications

- ◆ Assembly
- ◆ Construction
- ◆ Material handling
- ◆ Tool handling
- ◆ Mechanical works
- ◆ Pip fitting
- ◆ Utilities
- ◆ Warehousing & logistics



## LT2501 Tri-Color Leather Motorcycle Riding Glove



### Product Features

- ◆ Goatskin leather
- ◆ Soft & Comfortable
- ◆ Anti-slip
- ◆ Abrasion resistance
- ◆ Super durable
- ◆ Wear resistance

### Technical Data

|                     |                      |
|---------------------|----------------------|
| Material            | Sheep skin           |
| Cuff                | Loose                |
| Coating             | None                 |
| Coating Coverage    | None                 |
| Gauge               | None                 |
| Logo printing       | Ink or heat transfer |
| Sizes               | Customized           |
| MOQ                 | 2000 pairs           |
| Production Leadtime | 45 days              |

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

### Applications

- ◆ Industrial
- ◆ Driving
- ◆ Construction
- ◆ Material handling
- ◆ Tool handling
- ◆ Mechanical works
- ◆ Oil and Gas
- ◆ Utilities
- ◆ Warehousing & logistics



## SPECIFICATION SHEET

### LT2502 Motorcycle Riding Touchscreen Hard Shell Glove



#### Product Features

- ◆ Adjustable Wrist Velcro Strap
- ◆ Dotted Plastic Anti-Slip Fabric
- ◆ Impact-Resistant Knuckle Shell
- ◆ Joint Protection
- ◆ Breathable Sweat-Wicking Holes
- ◆ Touchscreen Compatibility

#### Technical Data

|                  |                                                   |
|------------------|---------------------------------------------------|
| Material         | EVA Knuckle Shell/Conductive Fabric/Dotted Fabric |
| Cuff             | Loose                                             |
| Coating          | None                                              |
| Coating Coverage | None                                              |
| Gauge            | None                                              |
| Logo printing    | Ink or heat transfer                              |
| Sizes            | Customized                                        |
| MOQ              | 2000 pairs                                        |

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

#### Applications

- ◆ Riding
- ◆ Driving
- ◆ Climbing
- ◆ Wilderness exploration
- ◆ Outdoor adventure in the wild
- ◆ Field exploration in the wilderness





## SPECIFICATION SHEET

### LT2503 Carbon Fiber Protective Shell Outdoor Riding Glove



#### Product Features

- ◆ Adjustable Wrist Velcro Strap
- ◆ Dotted Plastic Anti-Slip Fabric
- ◆ Impact-Resistant Knuckle Shell
- ◆ Joint Protection
- ◆ Breathable Sweat-Wicking Holes
- ◆ Touchscreen Compatibility

#### Technical Data

|                     |                                        |
|---------------------|----------------------------------------|
| Material            | Injection Molded Shell<br>Carbon Fiber |
| Cuff                | Loose                                  |
| Coating             | None                                   |
| Coating Coverage    | None                                   |
| Gauge               | None                                   |
| Logo printing       | Ink or heat transfer                   |
| Sizes               | Customized                             |
| MOQ                 | 2000 pairs                             |
| Production Leadtime | 45 days                                |

|               |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|
| Abrasion      | 0 | 1 | 2 | 3 | 4 |   |
| Cut           | X | 1 | 2 | 3 | 4 | 5 |
| Tear          | 0 | 1 | 2 | 3 | 4 |   |
| Puncture      | 0 | 1 | 2 | 3 | 4 |   |
| Cut (TDM-100) | A | B | C | D | E | F |

#### Applications

- ◆ Riding
- ◆ Driving
- ◆ Climbing
- ◆ Wilderness exploration
- ◆ Outdoor adventure in the wild
- ◆ Field exploration in the wilderness